
January 1, 2006. This document may contain dated information. It remains available to provide access to historical materials.



National Drug Intelligence Center


Product No. 2004-L0559-007


September 2004



BZP is a common name for the synthetic drug N-benzylpiperazine, a stimulant that is approximately 10 to 20 times more potent than amphetamine. BZP tablets, especially those that also contain the hallucinogen TFMPP (1-(3-trifluoromethylphenyl)piperazine), often are sold as MDMA (3,4-methylenedioxymethamphetamine, also known as ecstasy) or promoted as an alternative to MDMA.

BZP typically is available as a powder, which may be packaged in small glass or plastic vials or in small plastic resealable bags. BZP powder often is pressed into tablets, many of which are embossed with logos. BZP is occasionally available in capsules.







Porrata Consulting

BZP usually is consumed orally. The drug also can be snorted or smoked, but these methods of administration are less common. Common oral dosages of BZP range from 20 to 200 milligrams. The effects of BZP generally last from 6 to 8 hours.

BZP primarily is abused by teenagers and young adults. The drug often is used at raves, nightclubs, private parties, and other venues where the use of club drugs, particularly MDMA, is well established.

The risks associated with BZP abuse are similar to those associated with amphetamine abuse. Stimulants, including BZP and amphetamine, decrease appetite, dilate pupils, and increase blood pressure and heart and respiration rates. Other effects include anxiety, blurred vision, dizziness, and insomnia.

Chronic abuse of stimulants can cause irregular heartbeat and can lead to delusions, hallucinations, and paranoia.

Compounding these risks is the uncertainty of the BZP dosage in a particular tablet, capsule, or quantity of powder--high dosages can cause overdoses. Further, BZP tablets often contain additional substances. Laboratory testing of some tablets that contained BZP showed that the tablets also contained TFMPP, cocaine, and dextromethorphan (DXM).

The most common street terms for BZP are listed below.

Street Terms for BZP

1-benzylpiperazine A2 Frenzy Nemesis

Yes, BZP is illegal. In March 2004 the Drug Enforcement Administration (DEA) designated BZP a Schedule I substance under the Controlled Substances Act. Schedule I drugs, which include heroin and MDMA, have a high potential for abuse and serve no legitimate medical purpose in the United States.

Check out Fast Facts on:

- 5-MeO-AMT
- AMT
- Crack cocaine
- Crystal methamphetamine
- LSD
- Marijuana
- MDMA
- Methadone

- Drug abuse and mental illness
- Drug-facilitated sexual assault
- Drug paraphernalia
- Drugs and gangs
- Drugs and the Internet
- DXM
- Fentanyi
- Foxy
- Fry
- · GHB and analogs
- Heroin
- Inhalants
- Jimsonweed
- Ketamine
- Khat

- Methamphetamine
- Meth lab ID and hazards
- OxyContin
- PCP
- · Powdered cocaine
- Prescription drugs
- Psilocybin
- Ritalin
- Rohypnol
- Salvia divinorum
- Soma
- Steroids
- · Teens and drugs
- Triple C
- Yaba

Also available from NDIC:

- Huffing--The Abuse of Inhalants
- Prescription Drug Abuse and Youth
- Drugs, Youth, and the Internet

For more information on illicit drugs check out our web site at: www.usdoj.gov/ndic. Call 814-532-4541 to request NDIC products.

Our addresses:

National Drug Intelligence Center 319 Washington Street, 5th Floor Johnstown, PA 15901-1622 Telephone: 814-532-4601 FAX: 814-532-4690

NDIC Washington Liaison Office 8201 Greensboro Drive, Suite 1001 McLean, VA 22102-3840 Telephone: 703-556-8970 FAX: 703-556-7807

NDIC publications are available on the following web sites:

ADNET: http://ndicosa

LEO: home.leo.gov/lesig/ndic

RISS: ndic.riss.net

	INTERNET: www.usdoj.gov/ndic
THE SUPPLEMENT OF THE PROPERTY	
End of doo	ument.